

DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	RRRRRRRR RR RR RR RR RR RR RR RR RRRRRRR	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	000000 00 00 00 00	RRRRRRRR RR RF RR RF RR RF RR RF RRRRRRRR	RRR
22222222 22222222 222 222 222 222 222	DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD				

```
16-SEP-1984 16:35:18.36 Page 1
 DIRECTORY.CLD:1
   DIRECTORY.CLD
                               'V04-000'
    Version:
    Modification history:
                              LMP0276 L. Mark Pilant, 11-Jul-1984 Make applicable qualifiers negatable. Also, remove the default value for the /OUTPUT qualifier as it is defaulted in the DIRECTORY image.
               V03-002 LMP0276
                                                                                                           11-Jul-1984 11:43
               V03-001 MCN0173
                               MCN0173 Maria del C. Nasr 25-Jun-1984 Make the /OUTPUT qualifier default to SYS$OUTPUT, and
                               negatable.
define type date_options keyword all, keyword created,
                                                             nonnegatable
default,nonnegatable
               keyword expired,
keyword modified,
keyword backup,
                                                             nonnegatable
                                                             nonnegatable
                                                             nonnegatable
define type size_options keyword all, keyword allocation,
                                                             nonnegatable
                                                             nonnegatable
                keyword used,
                                                             default, nonnegatable
define type width options keyword display, keyword filename, keyword owner,
                                                             default,value(default=0),nonnegatable
default,value(default=19),nonnegatable
default,value(default=20),nonnegatable
                keyword size,
                                                             default, value (default=6), nonnegatable
define type sel_size_options keyword minimum_size,
                                                             default, value(default=0), nonnegatable
default, value(default=1073741823), nonnegatable
               keyword maximum_size,
define type select_options keyword size,
                                                             default, value(list, type=sel_size_options), nonnegatable
                keyword acl.
                                                             nonnegatable
define type owner options 
keyword identifier
define verb directory
                image directory
              image directory
parameter p1.prompt="File",value(list,impcat,type=$infile),label=INPUT
qualifier acl
qualifier backup
qualifier before, value(default=TODAY,type=$datetime)
qualifier brief, default.nonnegatable
qualifier by owner, value(type=$uic)
qualifier columns, default.value(default=4)
qualifier created
qualifier date, value(list,type=date_options)
qualifier exclude, value(required,list)
```

16-SEP-1984 16:35:18.36 Page 2

```
qualifier expired
qualifier file_id
qualifier full
qualifier modified
qualifier output,
qualifier owner,
qualifier printer
qualifier protection
qualifier security
qualifier select,
qualifier since,
qualifier size,
qualifier total
qualifier total
qualifier trailing,
qualifier versions,
qualifier width,

qualifier width,

qualifier width,
```

0046 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

